



INTERIOR EMULSION



Shade Selection



Kamo Hi Sheen

Luxury Premium Interior Emulsion

Luxury Premium Quality Interior Emulsion paint with High Sheen & Tough film.



HIGH SHEEN



**LUXURIOUS
SMOOTH FINISH**

Velvety

Luxury Interior Emulsion with Silky Pearl Finish

Provides a Silky Sheen finish which lends a soft regal glow to the interiors of the room. Its excellent flow makes sure that there is no brush mark on the wall after being painted.



SILKY TOUCH



RICH SHEEN

Sheen N Shine

Stain Free Interior Emulsion

Stain Free Interior Emulsion is very useful for places like living rooms, children's room, kitchen, hospitals, nursing home, and hotels, for elderly person rooms and for those having breathing problems.



SILKY FINISH



**HIGH STAIN
RESISTANT**

KamoShine

Rich Sheen Interior Emulsion

Kamoshine Interior Emulsion is a specially formulated value for money Acrylic Emulsion paint. It is unique product with a property of washability, unique colors with rich sheen.



LOTUS EFFECT



**HIGH STAIN
RESISTANT**

KamoRich

Silky Finish Interior Emulsion

Kamorich Interior Emulsion is a specially formulated Luxury Emulsion Paint to provide Rich Sheen to the Interior Walls with durable finish in a wide range of designer finish.



RICH SHEEN



SILKY FINISH

Kamo Silky Shyne

Interior Emulsion

Kamo Silky Shyne Interior Emulsion is specially formulated to provide Rich Sheen to your interior walls in economical way. Kamo Silky Shyne provides long lasting Shinning to the walls with 3 years of performance warranty.



SILKY TOUCH



BETTER COVERAGE

Kamo Silky

Economical Interior Emulsion

Kamo Silky Interior Emulsion is a value for money Interior emulsion paint. It is also very durable and lasts about 1 to 2 years more than distemper which provides the finish and durability of emulsions at a price similar to distemper.



SMOOTH FINISH



LOW VOC

Kamo Star

Interior Emulsion


Kamo Star Interior Acrylic Emulsion is a specially formulated value for money Acrylic Emulsion paint. It is unique product with a property of washability, unique colors and a silky touch of smoothness.



ANTI PEELING




**ECONOMICAL
EMULSION**



SELICA

KI 1001



CREAMY MOON

KI 1002



YELLOW LIGHT

KI 1003



WHISPER

KI 1004




MAIZE

KI 1005




CREAM DREAM

KI 1006




ROCKLAND

KI 1007



TWINLIGHT

KI 1008



WAVECITY

KI 1009




SUNSET

KI 1010



SWEETY

KI 1011



TURKISH CREAM

KI 1012



PARTY YELLOW

KI 1013



SPRING LIGHT

KI 1014



SUNRISE

KI 1015



CIRCUS YELLOW

KI 1016



GOLDEN DUST

KI 1017



LOVE 16

KI 1018



GLITTER LED

KI 1019



RUSTY BLUSH

KI 1020




BIRD

KI 1021


Shades are shown for indication purpose only.

PRETTY PINKS



PINK TALE

KI 1022



BEAUTIFUL

KI 1023



FAIRYTALE

KI 1024



APPY BLUSH

KI 1025




PALM BEAUTY

KI 1026




BEIGE

KI 1027




STRIKING PINK

KI 1028




CRAZE

KI 1029




PINK NET

KI 1030




PINK DOVE

KI 1031




SMILEY PINK

KI 1032




PINKISH BAY

KI 1033




PRIME PINK

KI 1034



PINK DELIGHT

KI 1035



PINK WINE

KI 1036




GINNY

KI 1037



MAHI PINK

KI 1038



PINK ZIP

KI 1039



PINK TOWN

KI 1040



RED GRAPE

KI 1041



REDDISH PINK


KI 1042

Shades are shown for indication purpose only.

BLUSHING BLUE



TOUCH TONE KI 1043




BLUE STONE KI 1044



BLUE WINE KI 1045




PURPLE HAZE KI 1046



BLUSH PINK KI 1047



FAIRY BLUE KI 1048



SURF KI 1049



BLUE DIP KI 1050



SMILING BLUE KI 1051



BLUE BELL KI 1052



CENTURY BLUE KI 1053



BLUE ROCK KI 1054



OZONE BLUE KI 1055



LOVE BLUE KI 1056



BLUE DROP KI 1057



SPRINGDALES KI 1058



RIVER BLUE KI 1059



VELOCITY KI 1060



BIRD EYE KI 1061



OCEAN KI 1062



SMART WAY KI 1063

GREAT GREENS



GRAPPE GREEN KI 1064



MANOR KI 1065



GREEN CITY KI 1066




FANTASTIC GREEN KI 1067




JAQLINE KI 1068



MYRA KI 1069



CHILL GREEN KI 1070



PHANTOM KI 1071



EROS KI 1072



RIA LIME KI 1073



JHUMS KI 1074



TIA BELL KI 1075



NET GREEN KI 1076



MAGIC MIST KI 1077



GRASS DEW KI 1078



GLOW GREEN KI 1079



FANCY GREEN KI 1080



ARMY DEN KI 1081



SPECIAL GREEN KI 1082



AKS KI 1083



GREEN SAUCE KI 1084

MODERN TRENDS



WORSHIP

KI 1085



TIARA

KI 1086




STONE WHITE

KI 1087



VINEGAR

KI 1088



CHIFFON WHITE

KI 0001



RED HIBISCUS

KI0076



MISTY MORNING

KI 0056



MIDNIGHT
MIRACLE

KI0070



SILKY MIST

KI 1089



PURPLE NET

KI 1090



PEACH PEARL

KI 1091



LIGHT COFFEE

KI 1092



PEACH MUD

KI 1093



OCEAN JACK

KI 1094

LATEST TRENDS



FROZEN PEAK

KI 0024



PRICKLY
PEAR

KI 0030



CORN FLOUR

KI 0005



BROWN
MUSHROOM

KI 0020



ANCIENT ZURI

KI 0010



HONEY BEE

KI 0019




PEACHY ORANGE

KI 0027



MARIGOLD

KI 0077



PINK PETAL

KI 0022



WONDEROUS
THISTLE

KI 0039



PEACHARESQUE

KI 0014



TITIAN

KI 0071



GLADE

KI 0043



FERN

KI 0054



RECOMMENDED PAINTING SYSTEM

- STEP-1** How to prepare the surface: Use sandpaper 180 to remove loose particles, dust, dirt or grease.
- STEP-2** **Pre-Priming:** Apply one coat of Kamoprime Wall Primer (WT/ST) and allow it to dry for 6 to 8 hours.
- STEP-3** **Smoothering the surface:** One coat of Kamoguard Acrylic Putty is recommended for leveling & smoothering the surface. It is effective in removing holes, dents, cracks and minor undulations. Larger cracks may be filled with a mixture of white cement and sand in the ratio of 1:3.
- STEP-4** **Final Priming:** Apply another coat of Kamoprime Wall Primer (WT/ ST) and allow it to dry for 6 to 8 hours.
- STEP-5** **Sanding:** Sand the surface with sandpaper 320 / 400 and clear the surface.
- STEP-6** **Top coat:** Dilute Kamo Hi-Sheen with 350 to 450 ml water and Sheen N Shine with 30-35% of water and apply 2 to 3 coats for final finish. Please See the Instruction on Container for Dilution ratio of rest Product. Keep and interval of 4 to 6 hours between the two coats. An additional coat is required for dark shades and horizontal surfaces like window tops & ledges, etc.

PRECAUTION

- 01 Three months are required for curing freshly plastered surfaces.
- 02 Paint procedure should not be applied on seepage-prone or damp surfaces.
- 03 Use Kamdhenu Water Proofing System before painting seepage- prone or damp surfaces.

KAMDHENU WATER PROOFING SYSTEM

For Preventing the Recurrence of Dampness, Efflorescence and Microbiological growth (Fungus, Algae, Black Spot & other bacteria) Use following products before painting applications.

KAMO SHORASEAL Sure Protection from Efflorescence.

KAMO PROOF LW In Plaster **KAMO CRETE** with Paint Application



KAMDHENU COLOUR AND COATING LIMITED
(CIN: U36990HR2019PLC089197)

2nd Floor Building No. 9A, DLF Cyber City, Phase-III, Gurugram (HR.)-122002

Fax: 0124-4218524, Email: info@kamdhenupaints.com

+91-124-4604500 (30 Lines) Toll Free: 1800 1800 545

www.kamdhenupaints.com